

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S11	20	(US-4954942-\$ or US-5574937-\$ or US-5715440-\$ or US-5737638-\$ or US-5809293-\$ or US-6009270-\$ or US-6173395-\$ or US-6233678-\$ or US-6351844-\$ or US-6513134-\$ or US-6539500-\$ or US-6560693-\$ or US-6594782-\$ or US-6609247-\$ or US-6615370-\$ or US-6633973-\$ or US-6634011-\$ or US-6647545-\$ or US-6665821-\$ or US-6694427-\$).did.	USPAT	OR	ON	2005/06/23 16:07
S12	2832	output\$4 with address with flag	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/24 09:14
S13	128	S12 and (absolute same relative)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/23 16:22
S14	119	S13 and @ad<"20010511"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/23 16:39
S15	188	S12 same shift\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/23 16:39
S16	158	S15 and @ad<"20010511"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/23 16:39
S17	4207	(flag or (condition near code) or status) with register with shift\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/24 07:38
S18	1732	S17 and (output\$4 with address)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/24 07:38

S19	119	S18 and (absolute near address) and (relative near address)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/24 08:11
S20	113	S19 and @ad<"20010511"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/24 07:48
S21	1249	flag with address\$3 with mode	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/24 07:42
S22	4	S21 same absolute same relative	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/24 07:43
S23	1038	branch\$3 with address with (flag or tag)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/24 07:48
S24	55	S23 same trac\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/24 07:48
S25	45	S24 and @ad<"20010511"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/24 07:53
S26	1979	711/202,212-214.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/24 07:54
S27	206	S26 and trac\$3 and flag	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/24 07:55
S28	170	S27 and @ad<"20010511"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/24 08:19

S29	787	address with (buffer or queue or fifo) with (flag or tag) with output\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/24 08:37
S30	7	S29 and (absolute near address) and (relative near address)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/24 08:15
S31	12	S29 with shift\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/24 08:16
S32	183	output\$4 same (absolute with address) same (relative with address) same (flag or tag or bit or signal)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/24 08:19
S33	167	S32 and @ad<"20010511"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/24 08:37
S34	2	S29 same (address\$3 near mode)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/24 08:34
S35	194	address\$3 with (buffer or queue or fifo) with (flag or tag) with mode	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/24 08:37
S36	154	S35 and @ad<"20010511"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/24 08:45
S37	701	711/207.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/24 08:44
S38	62	S37 and (address\$3 near mode)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/24 08:47

S39	53	S38 and @ad<"20010511"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/24 08:48
S40	34	S37 and (flag with output\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/24 08:48
S41	31	S40 and @ad<"20010511"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/24 09:22
S42	8	("5282274"   "5446854"   "5479627"   "5526504"   "5918245"   "5956756"   "6079004"   "6157986").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/06/24 09:06
S43	29	output\$4 with address with flag with (absolute or real or physical) with (relative or virtual or logical)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/24 09:20
S44	432	address\$3 with flag with (absolute or real or physical) with (relative or virtual or logical)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/24 09:20
S45	194	S44 and (output\$4 with address)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/24 09:22
S46	148	S45 and @ad<"20010511"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/24 10:08
S47	57	branch\$3 with address with (buffer or queue or fifo) with flag	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/24 10:05
S48	22	(branch\$3 near history near table) with flag	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/24 10:06

S49	0	(branch\$3 near (history or table)) with absolute with relative	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/24 10:07
S50	284	branch\$3 with absolute with relative	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/24 10:07
S51	228	S50 and @ad<"20010511"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/24 11:28
S52	9	("5463746"   "5832205"   "5978902"   "6009270"   "6142683"   "6247146"   "6347383"   "6351844"   "6418530").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/06/24 10:17
S53	1	("6594782").URPN.	USPAT	OR	ON	2005/06/24 10:17
S54	73	(flag or bit or code) with (indicat\$3 or specif\$4) with absolute with relative with address	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/24 11:40
S55	61	S54 and @ad<"20010511"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/24 11:28
S56	77	(flag or bit or code) with (indicat\$3 or specif\$4) with absolute with relative with address\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/24 11:41
S57	4	S56 and @ad<"20010511" not S55	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/24 11:41